

Jet Ski Brochure



Kawasaki
Let the Good Times Roll

JETSKI ULTRA 310X



KEY FEATURES

- SUPERCHARGED ACCELERATION
- DYNAMIC LUXURY DESIGN
- ENHANCED EQUIPMENT FOR ADVANTAGE INCREASED COMFORT & CONVENIENCE
- SLIM SEAT
- DEEP-V HULL
- 3D DECK DESIGN
- FUNCTIONAL STORAGE
- 7" TFT DISPLAY
- EASY-ACCESS CLEATS
- SPACIOUS FOOT WELLS
- KSRD
- SUPERCHARGED ENGINE
- LAUNCH CONTROL MODE
- POWER MODE SELECTION

TECH SPECIFICATIONS

ENGINE

Engine Type

Water-cooled, 4-stroke, in-line four

Compression ratio

8.2:1

Valve system

DOHC, 16 valves

Bore x stroke

83.0 x 69.2 mm

Displacement

1498 cm³

Fuel System

Fuel injection: 60 mm x 1

Lubrication

Forced lubrication, semi-dry sump

Starting system

Electric

Ignition

Digital

JETSKI ULTRA 310_x

PERFORMANCE & TRANSMISSION

Maximum power

221.0 kW {300 PS} / 8,000 rpm

Maximum torque

277.0 N•m {28.2 kgf•m} / 6,000 rpm

FRAME & DIMENSIONS

L x W x H

3,440 x 1,195 x 1,180 mm

Fuel capacity

80.0 litres

Curb mass

468 kg



Ebony /
Neon Red



ELECTRONIC CRUISE CONTROL



ECONOMICAL RIDING INDICATOR



POWER MODES



ERGO-FIT



ELECTRONIC THROTTLE VALVES

JETSKI ULTRA 310LX



KEY FEATURES

- SUPERCHARGED ACCELERATION
- ENHANCED EQUIPMENT FOR ADVANTAGE INCREASED COMFORT & CONVENIENCE
- LAUNCH CONTROL MODE
- SUPERCHARGED ENGINE
- JETSOUND 4S
- KSRD
- DYNAMIC LUXURY DESIGN
- FUNCTIONAL STORAGE
- 7" TFT DISPLAY
- 3-POSITION ERGO-FIT LUXURY SEAT
- EASY-ACCESS CLEATS
- REARVIEW CAMERA
- DEEP-V HULL
- SPACIOUS FOOT WELLS
- POWER MODE SELECTION
- ACCENT LIGHTS
- ULTRA DECK
- 3D DECK DESIGN



Ebony / Metallic
Gold Sparkle Deep Green



TECH SPECIFICATIONS

ENGINE

Engine Type

Water-cooled, 4-stroke, in-line four

Compression ratio

8.2:1

Valve system

DOHC, 16 valves

Bore x stroke

83.0 x 69.2 mm

Displacement

1498 cm³

Fuel System

Fuel injection: 60 mm x 1

Lubrication

Forced lubrication, semi-dry sump

Starting system

Electric

Ignition

Digital

JETSKI ULTRA 310LX

PERFORMANCE & TRANSMISSION

Maximum power

221.0 kW {300 PS} / 8,000 rpm

Maximum torque

277.0 N•m {28.2 kgf•m} / 6,000 rpm

FRAME & DIMENSIONS

L x W x H

3,580 x 1,195 x 1,240 mm

Fuel capacity

80.0 litres

Curb mass

494 kg



ELECTRONIC THROTTLE VALVES



ELECTRONIC CRUISE CONTROL



POWER MODES



ECONOMICAL RIDING INDICATOR




ERGO-FIT

JETSKI ULTRA 310LX5



KEY FEATURES

- SUPERCHARGED ACCELERATION
- ENHANCED EQUIPMENT FOR ADVANTAGE INCREASED COMFORT & CONVENIENCE
- LAUNCH CONTROL MODE
- EASY-ACCESS CLEATS
- FUNCTIONAL STORAGE
- 7" TFT DISPLAY
- SUPERCHARGED ENGINE
- DEEP-V HULL
- REARVIEW CAMERA
- SPACIOUS FOOT WELLS
- DYNAMIC LUXURY DESIGN
- KSRD
- SLIM SEAT
- ACCENT LIGHTS
- POWER MODE SELECTION
- 3D DECK DESIGN
- ULTRA DECK



Ebony /
Lime Green



TECH SPECIFICATIONS

ENGINE

Engine Type

Water-cooled, 4-stroke, in-line four

Compression ratio

8.2:1

Valve system

DOHC, 16 valves

Bore x stroke

83.0 x 69.2 mm

Displacement

1498 cm³

Fuel System

Fuel injection: 60 mm x 1

Lubrication

Forced lubrication, semi-dry sump

Starting system

Electric

Ignition

Digital

JETSKI ULTRA 310 LX-S

PERFORMANCE & TRANSMISSION

Maximum power

221.0 kW {300 PS} / 8,000 rpm

Maximum torque

277.0 N•m {28.2 kgf•m} / 6,000 rpm

FRAME & DIMENSIONS

L x W x H

3,580 x 1,195 x 1,180 mm

Fuel capacity

80.0 litres

Curb mass

483 kg



ELECTRONIC CRUISE CONTROL



ECONOMICAL RIDING INDICATOR



POWER MODES



ERGO-FIT



ELECTRONIC THROTTLE VALVES

JETSKI ULTRA160LX



KEY FEATURES

- HIGH-GRADE, BESPOKE DESIGN
- 3-POSITION ERGO-FIT LUXURY SEAT
- DISTINCT COLOURWAYS (GOLD AND BROWN WOOD TONES)
- JETSOUND 4S
- REARVIEW CAMERA
- ACCENT LIGHTS
- ULTRA DECK

TECH SPECIFICATIONS

ENGINE

Engine Type

Water-cooled, 4-stroke, in-line four

Compression ratio

10.6:1

Valve system

DOHC, 16 valves

Bore x stroke

83.0 x 69.2 mm

Displacement

1498 cm³

Fuel System

Fuel injection x 1

Lubrication

Forced lubrication, semi-dry sump

Starting system

Electric

Ignition

Digital

JETSKI ULTRA160LX

PERFORMANCE & TRANSMISSION

Maximum power

112.0 kW {152 PS} / 7,500 rpm

Maximum torque

144.0 N·m {14.7 kgf·m} / 5,750 rpm

Final drive

Direct drive from engine

FRAME & DIMENSIONS

L x W x H

3,580 x 1,195 x 1,240 mm

Fuel capacity

80.0 litres

Curb mass

448 kg



Ebony /Metallic
Shadow Gold



ELECTRONIC CRUISE CONTROL



ECONOMICAL RIDING INDICATOR



POWER MODES



ERGO-FIT



ELECTRONIC THROTTLE VALVES

JETSKI ULTRA 160 LX-S



KEY FEATURES

- ELECTRONIC CRUISE CONTROL
- 7" TFT DISPLAY
- LAUNCH CONTROL MODE
- ULTRA PLATFORM
- DEEP-V HULL: SUPERB HANDLING
- EASY-ACCESS CLEATS
- FUNCTIONAL STORAGE
- POWER MODE SELECTION
- 3-POSITION ERGO-FIT LUXURY SEAT
- KSRD
- 160 PS NA MARINE 1,498 CM3 IN-LINE FOUR ENGINE

TECH SPECIFICATIONS

ENGINE

Engine Type

Water-cooled, 4-stroke, in-line four

Compression ratio

10.6:1

Valve system

DOHC, 16 valves

Bore x stroke

83.0 x 69.2 mm

Displacement

1498 cm³

Fuel System

Fuel injection x 1

Lubrication

Forced lubrication, semi-dry sump

Starting system

Electric

Ignition

Digital

JETSKI ULTRA 160 LX-S

PERFORMANCE & TRANSMISSION

Maximum power

112.0 kW {152 PS} / 7,500 rpm

Maximum torque

144.0 N•m {14.7 kgf•m} / 5,750 rpm

Final drive

Direct drive from engine

FRAME & DIMENSIONS

L x W x H

3,580 x 1,195 x 1,180 mm

Fuel capacity

80.0 litres

Curb mass

437 kg



Ebony /Candy
Steel Furnace Orange



ELECTRONIC CRUISE CONTROL



ECONOMICAL RIDING INDICATOR



POWER MODES



ERGO-FIT



ELECTRONIC THROTTLE VALVES

JETSKI STX 160



KEY FEATURES

- 78L FUEL TANK
- ALL-DIGITAL METER PANEL
- COMFORTABLE RIDING POSITION
- IMMOBILIZER
- ELECTRONIC CRUISE CONTROL
- KAWASAKI SMART STEERING
- LARGE CAPACITY STORAGE BOX
- KAWASAKI SMART STEERING
- SMART LEARNING OPERATION (SLO) MODE

TECH SPECIFICATIONS

ENGINE

Engine Type

Water-cooled, 4-stroke, in-line four

Compression ratio

10.6:1

Valve system

DOHC, 16 valves

Bore x stroke

83.0 x 69.2 mm

Displacement

1498 cm³

Fuel System

Fuel injection: 60 mm x 1

Lubrication

Forced lubrication, semi-dry sump

Starting system

Electric

Ignition

Digital

JETSKI STX150

PERFORMANCE & TRANSMISSION

Maximum power

112.0 kW {152 PS} / 7,500 rpm

Maximum torque

144.0 N•m {14.7 kgf•m} / 6,000 rpm

Final drive

Direct drive from engine

FRAME & DIMENSIONS

L x W x H

3,152 x 1,181 x 1,153 mm

Fuel capacity

78.0 litres

Curb mass

392 kg



Crystal White /
Vibrant Blue



ELECTRONIC CRUISE CONTROL



ECONOMICAL RIDING INDICATOR



ERGO-FIT



ELECTRONIC THROTTLE VALVES

JETSKI STX 160X



KEY FEATURES

- ALL-DIGITAL METER PANEL
- 78L FUEL TANK
- LARGER REAR PLATFORM
- IMMOBILIZER
- COMFORT HANDLE GRIP
- LARGE CAPACITY STORAGE BOX
- KAWASAKI SMART STEERING
- ELECTRONIC CRUISE CONTROL
- COMFORTABLE RIDING POSITION

TECH SPECIFICATIONS

ENGINE

Engine Type

Water-cooled, 4-stroke, in-line four

Compression ratio

10.6:1

Valve system

DOHC, 16 valves

Bore x stroke

83.0 x 69.2 mm

Displacement

1498 cm³

Fuel System

Fuel injection: 60 mm x 1

Lubrication

Forced lubrication, semi-dry sump

Starting system

Electric

Ignition

Digital

JETSKI STX 160X

PERFORMANCE & TRANSMISSION

Maximum power

112.0 kW {152 PS} / 7,500 rpm

Maximum torque

144.0 N•m {14.7 kgf•m} / 6,000 rpm

Final drive

Direct drive from engine

FRAME & DIMENSIONS

L x W x H

3,152 x 1,181 x 1,153 mm

Fuel capacity

78.0 litres

Curb mass

392 kg



Crystal White /
Ebony



ELECTRONIC CRUISE CONTROL



ECONOMICAL RIDING INDICATOR



ERGO-FIT



ELECTRONIC THROTTLE VALVES

JETSKI STX 160 EX



KEY FEATURES

- ALL-DIGITAL METER PANEL
- IMMOBILIZER
- ELECTRONIC CRUISE CONTROL
- JETSOUND INTEGRATED AUDIO SYSTEM WITH BLUETOOTH
- CUP HOLDERS
- LARGER REAR PLATFORM
- 78L FUEL TANK
- COMFORTABLE RIDING POSITION
- COMFORT HANDLE GRIP
- TWO COLOR TONE DEDICATED DECK MAT

TECH SPECIFICATIONS

ENGINE

Engine Type

Water-cooled, 4-stroke, in-line four

Compression ratio

10.6:1

Valve system

DOHC, 14 valves

Bore x stroke

83.0 x 69.2 mm

Displacement

1498 cm³

Fuel System

Fuel injection: 60 mm x 1

Lubrication

Forced lubrication, semi-dry sump

Starting system

Electric

Ignition

Digital

JETSKI STX 160EX

PERFORMANCE & TRANSMISSION

Maximum power

112.0 kW {152 PS} / 7,500 rpm

Maximum torque

144.0 N•m {14.7 kgf•m} / 6,000 rpm

Final drive

Direct drive from engine

FRAME & DIMENSIONS

L x W x H

3,152 x 1,181 x 1,153 mm

Fuel capacity

78.0 litres

Curb mass

398 kg



Ebony /
Neon Red



ELECTRONIC CRUISE CONTROL



ECONOMICAL RIDING INDICATOR



ERGO-FIT



ELECTRONIC THROTTLE VALVES

JETSKI *SXR*



KEY FEATURES

- EXCEPTIONAL STABILITY
- KAWASAKI SPLASH DEFLECTOR
- SLEEK & SHARP STYLING
- STORAGE
- SUPERB CORNERING PERFORMANCE
- HANDLE POLE
- HULL & DECK
- MASSIVE POWER
- MX-STYLE HANDLEBAR
- STEERING NOZZLE
- WIDE DECK
- WATER INTAKE

TECH SPECIFICATIONS

ENGINE

Engine Type

Water-cooled, 4-stroke, in-line four

Compression ratio

10.6:1

Valve system

DOHC, 16 valves

Bore x stroke

83.0 x 69.2 mm

Displacement

1498 cm³

Fuel System

Fuel injection: 60 mm x 1

Lubrication

Forced lubrication, semi-dry sump

Starting system

Electric

Ignition

Digital

JETSKI SX-R

PERFORMANCE & TRANSMISSION

Maximum power

112.0 kW {152 PS} / 7,500 rpm

Maximum torque

144.0 N•m {14.7 kgf•m} / 7,250 rpm

FRAME & DIMENSIONS

L x W x H

2,655 x 765 x 840 mm

Fuel capacity

23.0 litres

Curb mass

250 kg



Ebony /
Ice Gray

Kawasaki

Let the Good Times Roll